



### MAGIC'color range:

Very compact yet extremely comprehensive equipment which can be installed in small areas while offering a whole range of fun activities for 2 to 8 year olds.


**+ Ideas:** equipment delivered ready-assembled

**+ Design:** an original design to attract both big and ... small


**+ Fun:** dream machines!



Identification	
Catalogue	Play Equipment
Range	MAGIC'color
Universe/Theme	Vehicles
Page	159
Recreational characteristics	
Age group	3-10 years
Number of activities	20
Dimensional characteristics	
Equipment dimensions (LxWxH)	11354x3457x3945 mm
Maximum free-fall height	1.6 m
Overall dimensions of impact area	14424x6585 mm
Total impact area in m <sup>2</sup>	65.7
Materials	
Frame/Structure	Passivated stainless steel
Railing/Trim	HPL
Other materials used	Rotation moulded polymers
Slide	No
Standards (tested by an independent laboratory)	
NF-EN 1176 Version 2008	Yes
Installation	
Delivery	Pre-assembled
Foundations	0 or -0.40 m
Number of blocks	13
Installation time	2 persons 3 hours with lifting equipment



View from above and cross-sectional view (scale 1:100)





# MAGIC'color range



## + PRE-ASSEMBLED

### *A unique concept*

Compact equipment delivered pre-assembled (factory assembled) for ultra fast, problem-free installations.



## + FRAME/STRUCTURE

### *100% stainless steel frame*

The epitome of high quality, stainless steel is, in itself, a guarantee for durability and easy, cost-effective maintenance.



## + FLOORS/COVERING

### *HPL floors and panels*

Multi-coloured HPL panels specially designed for HUSSON: high-pressure laminate, extremely wear-resistant (thickness 15 mm), rot-proof, not readily flammable, volume-dyed solid material.

The flooring is made from anti-slip perforated HPL to facilitate maintenance.



## + THERMOPLASTIC COMPONENTS

### *Rotation moulded thermoplastic components*

The complex-shaped components are made with the rotational moulding technique. For optimum robustness, HUSSON only uses volume-dyed, extremely thick, easy maintenance, top-of-the-range HDPE (High Density Polyethylene) type material.



## + ASSEMBLY

### *Exclusive assembly system*

- Clips and bearings manufactured in injected cast aluminium.
- Special anti-loose, vandal-resistant stainless steel bolts (with exclusive HUSSON tool).
- Use of stainless steel and an exclusive\* assembly system on all of HUSSON's ranges enables easy and cost-effective maintenance.
- Improved robustness thanks to a double-clamping system.



## + NETTING

### *Husson's exclusive feature*

Our steel core climbing netting is coated with a substantial colour polyamide sheath.



## + SAFETY

### *The safety of a large manufacturer*

The MAGIC'color play equipment is designed in accordance with the new European standards EN 1176 version 2008 and Decree no. 94-699.

Compliance with standards is guaranteed by tests and certification carried out by an independent test laboratory.



## + GUARANTEE

### *Long-term 10 year guarantee*

- Guaranteed parts: metal frame (posts and assembly parts), HPL panels, flooring.
- For HUSSON's guarantee application conditions: see HUSSON's general terms and conditions of sale (on the last pages of the current price list).

\*Patented exclusive system