







Rope Pyramid 6m

- + Ideas: equipment designed for 5 to 12 year olds.
- ${\bf + Play:}$ with the HUSSON pyramid, children will love climbing up to the top in total safety.




| Identification | |
|---|---|
| Catalogue | Play Equipment |
| Range | Solo+ |
| Universe/Theme | Rope equipment |
| Page | 210 |
| Recreational characteristics | |
| Age group | 5-12 ans |
| Dimensional characteristics | |
| Equipment dimensions (LxWxH) | 10250x8910x6200 mm |
| Maximum free-fall height | 1.8 m |
| Overall dimensions of impact area | 13000×11660 mm |
| Total impact area in m² | 96.1 |
| Materials | |
| Structure | Galvanised, painted steel |
| Netting | Steel core coated with a 3-colour polyamide sheath. |
| Standards (tested by an independent laboratory) | |
| NF-EN 1176 Version 2008 | Yes |
| Installation | |
| Delivery | In 2 parts |
| Foundations -0.40 m | 7 blocks |
| | |










View from above and cross-sectional view (scale 1:100)











Materials data sheet and technical characteristics

Solo+ range





+ FRAME/STRUCTURE

Robustness that surpasses current standards

Mast made of hot-dip galvanised powder coated steel tubing.



+ NETTING

Husson's exclusive feature

Our steel core climbing netting is coated with a substantial colour polyamide sheath.



+ ASSEMBLY

An exclusive rope system

An exclusive tensioning system on the mast tightens the rope, facilitating installation and maintenance.



+ MAINTENANCE

Secure rope connection

The practical system for connecting the ropes together ensures that customer service technicians can perform tasks (e.g. replacing a worn rope) easily and cost effectively.