



JFI-0101

Technical Specifications Sheet

+ 14
Years

Out&Fit Gym



TONING UP MUSCLES



JFI-0101

Number of users	Number of apparatus	Main exercises	Extra exercises Coaching Connect	Total exercises
6	6	16	>32	>48

Presentation

Technical Data

Exercises

Technical Benefits



Strength & Toning for Everyone

Made for everyone with lots of apparatus accessible to



Out&Fit Gym

- + Compact structure
- + Sheltered configuration
- + For everyone; from beginners to experts
- + Individual trainings or in a group





Technical Specifications Sheet

+ 14
Years

Out&Fit Gym



TONING UP MUSCLES


JFI-0101

Presentation

Technical Data

Exercises

Technical Benefits



Accessibility of the
equipment

Designed for
everyone




Total impact area 30 m²



"Key-Code" quick
access on
www.husson.eu

JFI0101




Maximum freefall height 1,0 m



Users required age 14 Years and more



Installation time
(without concrete) 4 Hours



Equipment
dimensions
(L x l x H)


3854 x 2804 x
2759 mm



Number of installers
required 2 Installers



Minimum surface
required to install the 6653 x 6421 mm
equipment (L x l)



Sealing level Level 0

Number of concrete
blocs 7 concrete blocs
(average 400 x 400
x 400 mm)



JFI-0101

Exercise available on the structure

G1 ★★ ★★

Apparatus Number
Workout Difficulty :
★ Easy
★★ Intermediate
★★★ Hard

1 Number of Apparatus
2 Number of the main exercises
>2 Number of the extra exercises via Coaching Connect

Exercise unavailable on the structure

G4 ★★

Apparatus Number
Workout Difficulty :
★ Easy
★★ Intermediate
★★★ Hard

0 Number of Apparatus
2 Number of the main exercises
>2 Number of the extra exercises via Coaching Connect

Presentation

Technical
Data

Exercises

Technical
Benefits

Main Exercise	Imagery	Main Exercise	Imagery
G1 ★★ ★★ 1 2 >2	Abdominal 	G7 ★★ 1 2 >12	Upper Body OFX Straps
G2 ★ ★★ 1 3 >2	Push-up 	G8 ★ 1 3 >10	Lower Body OFX Straps
G3 ★ ★★ 1 3 >2	Power Tower 	G9 ★ ★★ 6 6 >25	OFX Multi-Straps
G4 ★★ 1 1 >1	Lower Back 	G10 ★ ★★ 1 3 0	Hand Challenge
G5 ★★ 1 2 >2	Pull-Up Bar 	G11 ★★ 1 3 >6	Box
G6 ★★ 2 2 >4	Multi Pull-Up Bar 	G12 ★★ 1 3 >6	Step



Technical Specifications Sheet

**+ 14
Years**

Out&Fit Gym



TONING UP MUSCLES

JFI-0101

Presentation

Technical
Data


Exercises

Technical
Benefits



Out&Fit® Technical Benefits

- 1 Frame/Structure**
Galvanised, thermo-lacquered steel posts (diameter : 89 mm, thickness: 3 mm).
- 2 Apparatus:**
Stainless steel, passivated after manufacturing.
- 3 Other Apparatus**
Hot-dip galvanised and thermo-lacquered stainless steel with fine textured finish for good "grip" and excellent resistance to scratching and abrasion.
- 4 Covers:** for the covered structures
Made from very thick rotary-moulded HDPE (High Density Polyethylene) thermoplastic, colour-compounded and reinforced with a tubular steel frame. Transparent central part made from impact-resistant polycarbonate.
- 5 Metal Sheets:**
Laser-cut steel, galvanised and thermo-lacquered.



+ DESIGN*, COLOURIS, FINISHES

Out&Fit is unique *

A new and exclusive design with 3 ranges (Gym, Stretching and Training) to blend perfectly into all environments: 2 versions (with or without cover), 3 colour schemes (Park, Sport, Urban).

+ ASSEMBLY SYSTEM *

An exclusive assembly system

Using multi-D+ collars made from cast aluminium and special stainless steel anti-tamper and anti-vandalism screws (special Husson tool).

+ SAFETY

Safety by a Big Manufacturer

Out&Fit apparatus is designed to a rigorous specification including the requirements of the future European standard EN 16630; it is then tested and approved by an independent control laboratory.

They are for adults and teenagers over 14 years old.

+ GUARANTEES

Long Term Guarantee

- **20 years:** for the mechanical resistance due to a manufacturing defect on: metallic parts of the structure (posts, stainless steel screws)
- **10 years:** for the mechanical resistance due to a manufacturing defect on: the other metallic parts, made in aluminium, HPL and HDPE panels, "Wood Woodtech" (except mobile or mechanical parts)
- **5 years:** for the mechanical resistance due to a manufacturing defect on: parts made in moulded or rotary-moulded thermoplastic (except mobile or mechanical parts)
- **2 years:** for the mechanical resistance due to a manufacturing defect on: the other fixed, mobile or mechanical parts.

Husson guarantee and application terms mentioned above: refer to Husson's terms and conditions of sale available on the final pages of the current price list or on www.husson.eu.

*patented systems, registered designs.