









JFI-0202

husson



13





28







Presentation

Technical Data

Exercises

Technical Benefits







Strength & Toning for Everyone





Out&Fit Gym

- + Comprehensive and optimal structure, with bodybuilding and stretching exercises
- + Covered structure
- + For 13 users simultaneously









Technical Specifications Sheet










JFI-0202


Presentation

Technical Data

Exercises

Technical Benefits







Accessibility of the Designed for equipment

everyone



Total impact area 44 m^2



"Key-Code" quick access on www.husson.eu

JFI0202



Maximum freefall height 1,0 m



Users required age 14 Years and more



Installation time (without concrete)

8 Hours



Equipment dimensions $(L \times I \times H)$

5418× 3987 × 2908 mm



Number of installers required

2 Installers

Level 0



Minimum surface required to install the $7932 \times 7122 \text{ mm}$ equipment (L x I)



Sealing level

Number of concrete blocs

14 Concrete blocs (average 400 x 400 × 400mm)



Technical Specifications Sheet

Number of Apparatus

Out&Fit Stretching





Exercise available on the structure -Apparatus Number





Exercise unavailable



JFI-0202


Prese	enta	tion

Technical Data


Exercises

Technical Benefits


Number of the main exercises Number of the extra exercises via Coaching Connect Number of the extra exercises via Coaching Connect **Main Exercise Main Exercise Imagery Imagery** Upper Body OFX Straps G1 G7 ** Push-up Lower Body OFX Straps G2 * ▶ *** G8 OFX Multi-Straps Lower Back Hand Challenge G4 ** G10 * ▶ ***



























husson

Technical Specifications Sheet

Exercise available on the structure








JFI-0202

Presentation

Apparatus Number Workout Difficulty: * Easy ** Intermediate *** Hard Number of Apparatus Number of the main exercises Number of the extra exercises via Coaching Connect



Main Exercise

Double Arch

Imagery



Main Exercise



Imagery

Exercises

Technical Data



S2 *



Pendulum



Piano




Wall





Bench





Low Suspension





JFI-0202

Presentation

Technical

Exercises

Technical

Benefits

Data

Technical Specifications Sheet







TONING UP MUSCLES









Out&Fit® High-quality materials



Frame/Structure

Galvanised, thermo-lacquered steel posts (diameter: 89 mm, thickness: 3 mm).



Apparatus:

Stainless steel, passivated after manufacturing.



Other Apparatus

Hot-dip galvanised and thermo-lacquered stainless steel with fine textured finish for good "grip" and excellent resistance to scratching and abrasion.



Covers: for the covered structures

Made from very thick rotary-moulded HDPE (High Density Polyethylene) thermoplastic, colour-compounded and reinforced with a tubular steel frame. Transparent central part made from impact-resistant polycarbonate.



Metal Sheets:

Laser-cut steel, galvanised and thermo-lacquered.





+ DESIGN*, COLOURIS, FINISHES



+ ASSEMBLY SYSTEM *



+ SAFETY

Out&Fit is Unique *

A new and exclusive design with 3 ranges (Gym, Stretching and Training) to blend perfectly into all environments: 2 versions (with or without cover), 3 colour schemes (Park, Sport, Urban).

An Exclusive Assembly System

Using multi-D+ collars made from cast aluminium and special stainless steel anti-tamper and anti-vandalism screws (special Husson tool).

Safety by a Big Manufacturer

Out&Fit apparatus is designed to a rigorous specification including the requirements of the future European standard EN 16630; it is then tested and approved by an independent control laboratory.

They are for adults and teenagers over 14 years old.

+ GUARANTEES

Long Term Guarantee

- 20 years: for the mechanical resistance due to a manufacturing defect on: metallic parts of the structure (posts, stainless steel screws)
- 10 years: for the mechanical resistance due to a manufacturing defect on: the other metallic parts, made in aluminium, HPL and HDPE panels, "Wood Woodtech" (except mobile or mechanical parts)
- 5 years: for the mechanical resistance due to a manufacturing defect on: parts made in moulded or rotary-moulded thermoplastic (except mobile or mechanical parts)
- **2 years** for the mechanical resistance due to a manufacturing defect on: the other fixed, mobile or mechanical parts.

Husson guarantee and application terms mentioned above: refer to Husson's terms and conditions of sale available on the final pages of the current price list or on ww.husson.eu.