



JFI-0801

Technical Specifications Sheet

+ 14
Years

Out&Fit Gym



TONING UP MUSCLES



JFI-0801

Number of users	Number of apparatus	Main exercises	Extra exercises Coaching Connect	Total exercises
8	8	18	>38	>56

Presentation

Technical Data

Exercises

Technical Benefits



Strength & Toning for Everyone



Made for every-
one with lots of
apparatus accessi-
ble to



Out&Fit Gym

- + Full structure with a "Multi Pull-Up Bar", appreciated by sportspeople
- + Partly covered
- + Ideal for individual or small-group training sessions





Technical Specifications Sheet

**+ 14
Years**

Out&Fit Gym



TONING UP MUSCLES


JFI-0801

Presentation

Technical Data

Exercises

Technical Benefits



1/200



1/100



Accessibility of the
equipment

Designed for
everyone



Total impact area 39m²



"Key-Code" quick
access on
www.husson.eu

JFI0801




Maximum freefall height 1,0 m



Users required age 14 Years and more



Installation time
(without concrete) 5 Hours



Equipment
dimensions
(L x l x H)


7907 x 3250 x
2750 mm



Number of installers
required 2 Installers



Minimum surface
required to install the 9152 x 6421 mm
equipment (L x l)



Sealing level

Level 0

Number of concrete
blocs

11 Concrete blocs
(average 400 x 400
x 400mm)

Technical Specifications Sheet

**+ 14
Years**

Out&Fit Gym



TONING UP MUSCLES

Exercise available on the structure

G1 ★★ ▶ ★★★

Apparatus Number: 1
Workout Difficulty: ★ Easy, ★★ Intermediate, ★★★ Hard

Number of Apparatus: 1
Number of the main exercises: 2
Number of the extra exercises via Coaching Connect: >2

Exercise unavailable on the structure

G5 ★★★

Apparatus Number: 0
Workout Difficulty: ★ Easy, ★★ Intermediate, ★★★ Hard

Number of Apparatus: 0
Number of the main exercises: 2
Number of the extra exercises via Coaching Connect: >2

Presentation

Technical
Data

Exercises

Technical
Benefits

Main Exercise	Imagery	Main Exercise	Imagery
G1 ★★ ▶ ★★★ 1 2 >2	Abdominal 	G7 ★★ 1 2 >12	Upper Body OFX Straps
G2 ★ ▶ ★★★ 1 3 >2	Push-up 	G8 ★ 1 3 >10	Lower Body OFX Straps
G3 ★ ▶ ★★★ 1 3 >2	Power Tower 	G9 ★ ▶ ★★★ 6 6 >25	OFX Multi-Straps
G4 ★★ 1 1 >1	Lower Back 	G10 ★ ▶ ★★★ 1 3 0	Hand Challenge
G5 ★★★ 1 2 >2	Pull-Up Bar 	G11 ★★ 1 3 >6	Box
G6 ★★★ 2 2 >4	Multi Pull-Up Bar 	G12 ★★ 1 3 >6	Step



JFI-0801

Presentation

Technical
Data

Exercises

Technical
Benefits



Out&Fit® Technical Benefits

- 1 Frame/Structure**
Galvanised, thermo-lacquered steel posts (diameter : 89 mm, thickness: 3 mm).
- 2 Apparatus:**
Stainless steel, passivated after manufacturing.
- 3 Other Apparatus**
Hot-dip galvanised and thermo-lacquered stainless steel with fine textured finish for good "grip" and excellent resistance to scratching and abrasion.
- 4 Covers:** for the covered structures
Made from very thick rotary-moulded HDPE (High Density Polyethylene) thermoplastic, colour-compounded and reinforced with a tubular steel frame. Transparent central part made from impact-resistant polycarbonate.
- 5 Metal Sheets:**
Laser-cut steel, galvanised and thermo-lacquered.



+ DESIGN*, COLOURIS, FINISHES

Out&Fit is unique *

A new and exclusive design with 3 ranges (Gym, Stretching and Training) to blend perfectly into all environments: 2 versions (with or without cover), 3 colour schemes (Park, Sport, Urban).

+ ASSEMBLY SYSTEM *

An exclusive assembly system

Using multi-D+ collars made from cast aluminium and special stainless steel anti-tamper and anti-vandalism screws (special Husson tool).

+ SAFETY

Safety by a Big Manufacturer

Out&Fit apparatus is designed to a rigorous specification including the requirements of the future European standard EN 16630; it is then tested and approved by an independent control laboratory.

They are for adults and teenagers over 14 years old.

+ GUARANTEES

Long Term Guarantee

- **20 years:** for the mechanical resistance due to a manufacturing defect on: metallic Parts of the structure (posts, stainless steel screws)
- **10 years:** for the mechanical resistance due to a manufacturing defect on: the other metallic parts, made in aluminium, HPL and HDPE panels, "Wood Woodtech" (except mobile or mechanical parts)
- **5 years:** for the mechanical resistance due to a manufacturing defect on: parts made in moulded or rotary-moulded thermoplastic (except mobile or mechanical parts)
- **2 years** for the mechanical resistance due to a manufacturing defect on: the other fixed, mobile or mechanical parts.

Husson guarantee and application terms mentioned above: refer to Husson's terms and conditions of sale available on the final pages of the current price list or on www.husson.eu.

*patented systems, registered designs.