



Technical Specifications Sheet

+ 14 Years

Out&Fit Gym



TONING UP MUSCLES



JFI-0308

JFI-0308

Number of users	Number of apparatus	Main exercises	Extra exercises Coaching Connect	Total exercises
8	8	18	>42	>60

Presentation

Technical Data

Exercises

Technical Benefits



Strength & Toning for Everyone

Made for everyone with lots of apparatus accessible to



Out&Fit Gym

- + Compact configuration
- + With an apparatus "Multi Pull-Up Bar", appreciated by sportspeople





Technical Specifications Sheet

+ 14
Years


Out&Fit Gym



TONING UP MUSCLES

JFI-0308

Presentation



Technical
Data

Exercises

Technical
Benefits



Accessibility of the equipment
Designed for everyone



Total impact area 42 m²



"Key-Code" quick access on
www.husson.eu
JFI0308




Maximum freefall height 1,0 m



Users required age 14 Years and more



Installation time (without concrete) 4 Hours



Equipment dimensions (L x l x H)
6346 x 3920 x 2203 mm



Number of installers required 2 Installers



Minimum surface required to install the equipment (L x l)
935 l x 6998 mm



Sealing level Level 0
Number of concrete blocs 8 Concrete blocs (average 400 x 400 x 400mm)



Technical Specifications Sheet

**+ 14
Years**

Out&Fit Gym



TONING UP MUSCLES

JFI-0308

Exercise available on the structure

G1 ★★ ▶ ★★★

Apparatus Number: 1
Workout Difficulty: ★ Easy, ★★ Intermediate, ★★★ Hard

1 — Number of Apparatus
2 — Number of the main exercises
>2 — Number of the extra exercises via Coaching Connect

Exercise unavailable on the structure

G4 ★★★

Apparatus Number: 0
Workout Difficulty: ★ Easy, ★★ Intermediate, ★★★ Hard

0 — Number of Apparatus
2 — Number of the main exercises
>2 — Number of the extra exercises via Coaching Connect

Presentation

Technical Data

Exercises

Technical Benefits

Main Exercise	Imagery	Main Exercise	Imagery
<p>G1 ★★ ▶ ★★★</p> <p>1 2 >2</p>	<p>Abdominal</p>	<p>G7 ★★</p> <p>1 2 >12</p>	<p>Upper Body OFX Straps</p>
<p>G2 ★ ▶ ★★★</p> <p>1 3 >2</p>	<p>Push-up</p>	<p>G8 ★</p> <p>1 3 >10</p>	<p>Lower Body OFX Straps</p>
<p>G3 ★ ▶ ★★★</p> <p>1 3 >2</p>	<p>Power Tower</p>	<p>G9 ★ ▶ ★★★</p> <p>6 6 >25</p>	<p>OFX Multi-Straps</p>
<p>G4 ★★</p> <p>1 1 >1</p>	<p>Lower Back</p>	<p>G10 ★ ▶ ★★★</p> <p>1 3 0</p>	<p>Hand Challenge</p>
<p>G5 ★★★</p> <p>1 2 >2</p>	<p>Pull-Up Bar</p>	<p>G11 ★★</p> <p>1 3 >6</p>	<p>Box</p>
<p>G6 ★★★</p> <p>2 2 >4</p>	<p>Multi Pull-Up Bar</p>	<p>G12 ★★</p> <p>1 3 >6</p>	<p>Step</p>



Technical Specifications Sheet

+ 14 Years

Out&Fit Gym



TONING UP MUSCLES



JFI-0308

Presentation

Technical Data


Exercises

Technical Benefits



Out&Fit® High-quality materials

- 1 Frame/Structure**
Galvanised, thermo-lacquered steel posts (diameter : 89 mm, thickness: 3 mm).
- 2 Apparatus:**
Stainless steel, passivated after manufacturing.
- 3 Other Apparatus**
Hot-dip galvanised and thermo-lacquered stainless steel with fine textured finish for good "grip" and excellent resistance to scratching and abrasion.
- 4 Covers: for the covered structures**
Made from very thick rotary-moulded HDPE (High Density Polyethylene) thermoplastic, colour-compounded and reinforced with a tubular steel frame. Transparent central part made from impact-resistant polycarbonate.
- 5 Metal Sheets:**
Laser-cut steel, galvanised and thermo-lacquered.



+ DESIGN*, COLOURS, FINISHES

Out&Fit is Unique *

A new and exclusive design with 3 ranges (Gym, Stretching and Training) to blend perfectly into all environments: 2 versions (with or without cover), 3 colour schemes (Park, Sport, Urban).

+ ASSEMBLY SYSTEM *

An Exclusive Assembly System

Using multi-D+ collars made from cast aluminium and special stainless steel anti-tamper and anti-vandalism screws (special Husson tool).

+ SAFETY

Safety by a Big Manufacturer

Out&Fit apparatus is designed to a rigorous specification including the requirements of the future European standard EN 16630; it is then tested and approved by an independent control laboratory.

They are for adults and teenagers over 14 years old.

+ GUARANTEES

Long Term Guarantee

- **20 years:** for the mechanical resistance due to a manufacturing defect on: metallic parts of the structure (posts, fence, stainless steel screws)
- **10 years:** for the mechanical resistance due to a manufacturing defect on: the other metallic parts, made in aluminium, HPL and HDPE panels, "Wood Woodtech" (except mobile or mechanical parts)
- **5 years:** for the mechanical resistance due to a manufacturing defect on: parts made in moulded or rotary-moulded thermoplastic (except mobile or mechanical parts)
- **2 years** for the mechanical resistance due to a manufacturing defect on: the other fixed, mobile or mechanical parts.

Husson guarantee and application terms mentioned above: refer to Husson's terms and conditions of sale available on the final pages of the current price list or on www.husson.eu.

*patented systems, registered designs.