Technical Specifications Sheet











TONING UP MUSCLES









25









Technical Data

Exercises

Technical Benefits







Strength & Toning for Everyone





Out&Fit Gym

- Full and Compact configuration
- + With an apparatus "Multi Pull-Up Bar", appreciated by sportspeople
- More than 70 exercises














JFI-0301


Presentation

Technical Data

Exercises

Technical Benefits







Accessibility of the Designed for equipment

everyone



Total impact area 58 m^2



"Key-Code" quick access on www.husson.eu

JFI0301



Maximum freefall height 1,0 m



Users required age 14 Years and more



Installation time (without concrete)

6 Hours



Equipment dimensions $(L \times I \times H)$

 $7508 \times 5014 \times$ 2203 mm



Number of installers required

2 Installers

Level 0



Minimum surface required to install the 10522 x 8031 mm equipment $(L \times I)$



Sealing level

Number of concrete blocs

12 Concrete blocs (average 400 x 400 × 400mm)



JFI-0301

Presentation


Technical Data

Exercises

Technical Benefits

Technical Specifications Sheet

Exercise available on the structure









2 — Number of the main exercises 2 — Number of the extra exercises via Coaching Connect 2 — Number of the extra exercises via Coaching Connect			
Main Exercise	Imagery	Main Exercise	Imagery
G) **	Abdominal	G7 ** 1 2 2 312	Upper Body OFX Straps
G2 * > *** 1 3 >2	Push-up	G3 * 1 3 3 > 10	Lower Body OFX Straps
G3 * > *** 1 3 3 >2	Power Tower	G9 *	OFX Multi-Straps
G4 **	Lower Back	GIO * > *** 1 3	Hand Challenge
G5 *** 1 2 >2	Pull-Up Bar	GI) ** 1 3 3 >6	Box
G6 ***	Multi Pull-Up Bar	G12**	Step



Technical Specifications Sheet













TONING UP MUSCLES

JFI-0301

Presentation

Technical Data

Exercises

Technical Benefits



Out&Fit® High-quality materials

Frame/Structure

Galvanised, thermo-lacquered steel posts (diameter : 89 mm, thickness: 3 mm).

Apparatus:

Stainless steel, passivated after manufacturing.

Other Apparatus

Hot-dip galvanised and thermo-lacquered stainless steel with fine textured finish for good "grip" and excellent resistance to scratching and abrasion.

Covers: for the covered structures

Made from very thick rotary-moulded HDPE (High Density Polyethylene) thermoplastic, colour-compounded and reinforced with a tubular steel frame. Transparent central part made from impact-resistant polycarbonate.

Metal Sheets:

Laser-cut steel, galvanised and thermo-lacquered.



+ DESIGN*, COLOURIS, FINISHES

Out&Fit is unique *

A new and exclusive design with 3 ranges (Gym, Stretching and Training) to blend perfectly into all environments: 2 versions (with or without cover), 3 colour schemes (Park, Sport, Urban).



+ ASSEMBLY SYSTEM *

An exclusive assembly system

Using multi-D+ collars made from cast aluminium and special stainless steel anti-tamper and anti-vandalism screws (special Husson tool).



+ SAFETY

Safety by a Big Manufacturer

Out&Fit apparatus is designed to a rigorous specification including the requirements of the future European standard EN 16630; it is then tested and approved by an independent control laboratory.

They are for adults and teenagers over 14 years old.

+ GUARANTEES

Long Term Guarantee

- 20 years: for the mechanical resistance due to a manufacturing defect on: metallic parts of the structure (posts, stainless steel screws)
- 10 years: for the mechanical resistance due to a manufacturing defect on: the other metallic parts, made in aluminium, HPL and HDPE panels, "Wood Woodtech" (except mobile or mechanical parts)
- 5 years: for the mechanical resistance due to a manufacturing defect on: parts made in moulded or rotary-moulded thermoplastic (except mobile or mechanical parts)
- 2 years for the mechanical resistance due to a manufacturing defect on: the other fixed, mobile or mechanical parts.

Husson guarantee and application terms mentioned above: refer to Husson's terms and conditions of sale available on the final pages of the current price list or on ww.husson.eu.

*patented systems, registered designs.