



Technical Specifications Sheet

+ 14
Years



Number
of users

7



Number of
apparatus

7



Main
exercises

13



Extra exercises
Coaching Connect

>12



Total
exercises

>25

Out&Fit Stretching



IMPROVING FLEXIBILITY



JFI-0601

JFI-0601

Presentation

Technical Data

Exercises

Technical Benefits



Relax

Made for every-
one with lots of
apparatus accessi-
ble to



Out&Fit Stretching

+ Compact configuration





Technical Specifications Sheet

**+ 14
Years**

Out&Fit Stretching



IMPROVING FLEXIBILITY


JFI-0601

Presentation

Technical Data

Exercises

Technical Benefits



1/200



1/100



Accessibility of the
equipment

Designed for
everyone



Total impact area 21 m²



"Key-Code" quick
access on
www.husson.eu

JFI0601




Maximum freefall height 1,0 m



Users required age 14 Years and more



Installation time
(without concrete) 2 Hours



Equipment
dimensions
(L x l x H)
2456x 1678 x 2234
mm



Number of installers
required 2 Installers



Minimum surface
required to install the
equipment (L x l)
5460 x 4689 mm



Sealing level Level 0
Number of concrete
blocs 7 Concrete blocs
(average 400 x 400
x 400mm)

Technical Specifications Sheet

Exercise available on the structure

S1 *

Apparatus Number
Workout Difficulty:
* Easy
** Intermediate
*** Hard

1 Number of Apparatus
4 Number of the main exercises
>3 Number of the extra exercises via Coaching Connect

+ 14
Years

Out&Fit Stretching



IMPROVING FLEXIBILITY

Presentation

Technical
Data

Exercises

Technical
Benefits

| Main Exercise | Imagery | Main Exercise | Imagery |
|---------------------------------|--------------------|----------------------------------|---------------------|
| S1 * 1 4 >3 | Double Arch | S5 ** 1 1 >1 | High Suspension |
| S2 * 1 3 >3 | Pendulum | S6 * 1 2 >1 | Piano |
| S3 * 1 1 >2 | Wall | S7 * 1 1 >1 | Bench |
| S4 * 1 1 >1 | Low Suspension | | |



Technical Specifications Sheet

Out&Fit Stretching



IMPROVING FLEXIBILITY

+ 14
Years

JFI-0601

Presentation

Technical
Data


Exercises

Technical
Benefits



Out&Fit® High-quality materials

- 1 Frame/Structure**
Galvanised, thermo-lacquered steel posts (diameter : 89 mm, thickness: 3 mm).
- 2 Apparatus:**
Stainless steel, passivated after manufacturing.
- 3 Other Apparatus**
Hot-dip galvanised and thermo-lacquered stainless steel with fine textured finish for good "grip" and excellent resistance to scratching and abrasion.
- 4 Covers** for the covered structures
Made from very thick rotary-moulded HDPE (High Density Polyethylene) thermoplastic, colour-compounded and reinforced with a tubular steel frame. Transparent central part made from impact-resistant polycarbonate.
- 5 Metal Sheets:**
Laser-cut steel, galvanised and thermo-lacquered.



+ DESIGN*, COLOURIS, FINISHES

Out&Fit is Unique *

A new and exclusive design with 3 ranges (Gym, Stretching and Training) to blend perfectly into all environments: 2 versions (with or without cover), 3 colour schemes (Park, Sport, Urban).

+ ASSEMBLY SYSTEM *

An Exclusive Assembly System

Using multi-D+ collars made from cast aluminium and special stainless steel anti-tamper and anti-vandalism screws (special Husson tool).

+ SAFETY

Safety by a Big Manufacturer

Out&Fit apparatus is designed to a rigorous specification including the requirements of the future European standard EN 16630; it is then tested and approved by an independent control laboratory.

They are for adults and teenagers over 14 years old.

+ GUARANTEES

Long Term Guarantee

- **20 years:** for the mechanical resistance due to a manufacturing defect on: metallic Parts of the structure (posts, stainless steel screws).
- **10 years:** for the mechanical resistance due to a manufacturing defect on: the other metallic parts, made in aluminium, HPL and HDPE panels, "Wood Woodtech" (except mobile or mechanical parts).
- **5 years:** for the mechanical resistance due to a manufacturing defect on: parts made in moulded or rotary-moulded thermoplastic (except mobile or mechanical parts).
- **2 years** for the mechanical resistance due to a manufacturing defect on: the other fixed, mobile or mechanical parts.

Husson guarantee and application terms mentioned above: refer to Husson's terms and conditions of sale available on the final pages of the current price list or on www.husson.eu.

*patented systems, registered designs.