



## Technical Specifications Sheet

+ 14  
Years

Out&Fit Stretching



IMPROVING FLEXIBILITY

JFI-0701

 Number of users	 Number of apparatus	 Main exercises	 Extra exercises Coaching Connect	 Total exercises
1	1	6	>4	>10



JFI-0701

### Presentation

### Technical Data

### Exercises

### Technical Benefits



## Relax

Made for every-  
one with lots of  
apparatus accessi-  
ble to



### Out&Fit Stretching

+ The configuration offers around a dozen highly beneficial flexibility and stretching exercises for most of the parts of the body





# Technical Specifications Sheet

+ 14  
Years

Out&Fit Stretching



IMPROVING FLEXIBILITY



JFI-0701

## Presentation

## Technical Data

## Exercises

## Technical Benefits




Accessibility of the equipment  
Designed for everyone



"Key-Code" quick access on  
www.husson.eu JFI0701



Users required age 14 Years and more



Equipment dimensions  
(L x l x H) 2424 x 391 x 960 mm



Minimum surface  
quired to install the 5426x 3391 mm  
equipment (L x l)



Total impact area 17 m<sup>2</sup>



Maximum freefall height 1,0 m



Installation time  
(without concrete) 1 Hour



Number of installers  
required 2 Installers



Sealing level Level 0

Number of concrete  
blocs 2 Concrete blocs  
(average 400 x 400  
x 400mm)



# Technical Specifications Sheet

Exercise available on the structure

+ 14  
Years

Out&Fit Stretching



IMPROVING FLEXIBILITY

JFI-0701

## Presentation

## Technical Data

### Main Exercise

### Imagery

### Muscles



## Exercises

Workout Difficulty :

- \* Easy
- \*\* Intermediate
- \*\*\* **Hard**

\*

Stretching



## Technical Benefits

## Technical Specifications Sheet



+ 14  
Years

Out&Fit Stretching



IMPROVING FLEXIBILITY

Out&Fit® Stretching

High Quality Materials

1

### Solid Structure

Made with;

- **Hot-dip galvanised steel** : submerged in molten zinc at 450°C.
- **Thermo-lacquered** : polyester powder, heated by a 210°C oven.

All these conceptions and methods bring solidity and robustness against climatic hazards and acts of vandalism.

2

### Metal sheets:

Laser-cut steel, **galvanised and thermos-lacquered**. All the colours from the RAL chart are available. Engravings can be personalised .

3

### Sustainable Development

Thanks to their forms, colours and designs, the Out&Fit stations and apparatus fit perfectly in all environments.

4

### Safety

The Out&Fit apparatus is designed according to a strict set of specifications aligned with the requirements of the new EN16630 standard. The equipment is then tested and approved by an independent laboratory. They are designed for adults and teenagers over 14 years old.

5

### Guarantee

- **20 years:** for the mechanical resistance due to a manufacturing defect on: metallic parts of the structure (posts, stainless steel screws).
- **10 years:** for the mechanical resistance due to a manufacturing defect on: the other metallic parts, made in aluminium, HPL and HDPE panels, "Wood Woodtech" (except mobile or mechanical parts).
- **5 years:** for the mechanical resistance due to a manufacturing defect on: parts made in moulded or rotary-moulded thermoplastic (except mobile or mechanical parts).
- **2 years** for the mechanical resistance due to a manufacturing defect on: the other fixed, mobile or mechanical parts.

Husson guarantee and application terms mentioned above: refer to Husson's terms and conditions of sale available on the final pages of the current price list or on [www.husson.eu](http://www.husson.eu).

\*patented systems, registered designs.